

	Hits	Search Text	DBs
1	415	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (logic\$5 or table\$5) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"4821297".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	38	"4821297".URPN.	USPAT
4	2	"5247544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	35	"4821297".URPN. and @ad<"19991005"	USPAT
6	546	dent.in.	USPAT
7	89	dent.in. and clock\$5 and phase\$5 and shift\$5	USPAT
8	6	("4458206" "4821297" "4829543" "5022054" "5084891" "5428647").PN.	USPAT
9	29	"5574756".URPN.	USPAT
10	18	"5574756".URPN. and @ad<"19991005"	USPAT
11	60	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (logic\$5 or table\$5) and (clock\$5 with phase\$5 with synchronized\$5 with data) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	25	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (table\$5) and (clock\$5 with phase\$5 with synchronized\$5 with data) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	8	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (table\$5) and (clock\$5 with phase\$5 with synchronized\$5 with data) and (differ\$10 adj frequenc\$5) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	4	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (table\$5) and (clock\$5 with phase\$5 with synchronized\$5 with data) and (differ\$10 adj frequenc\$5) and amplif\$5 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	5	((375/373, 375/371, 375/354, 375/355, 375/362).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (table\$5) and (clock\$5 with phase\$5 with synchronized\$5 with data) and ((differ\$10 or chang\$5) adj frequenc\$5) and amplif\$5 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	1	"3746800".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	38	("4821297").URPN.	USPAT
18	35	("4821297").URPN. and @ad<"19991005"	USPAT
19	1	("4821297").URPN. and previous and ff and @ad<"19991005"	USPAT
20	16	("4821297").URPN. and previous and @ad<"19991005"	USPAT
21	2	("4821297").URPN. and (previous near2 (cycle or period)) and @ad<"19991005"	USPAT
22	107	(previous near2 (cycle or period)) same phases and @ad<"19991005"	USPAT
23	123	(previous near2 (cycle or period)) same phases and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	1220	(previous near2 (cycle or period)) and phases and clock\$2 and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	282	(previous near2 (cycle or period)) and (phase\$2 with clock\$5 with (select\$5 or choos\$5 or choic\$5)) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	485	((375/373, 375/371, 375/375, 375/354, 375/355, 375/362, 375/226,325/224, 375/377).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (logic\$5 or table\$5) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	12	((previous near2 (cycle or period)) same (phase\$2 with clock\$5 with (select\$5 or choos\$5 or choic\$5))) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	27	((375/373, 375/371, 375/375, 375/354, 375/355, 375/362, 375/226,325/224, 375/377).ccls.) and (previous near2 (cycle or period)) and (phase\$2 with clock\$5 with (select\$5 or choos\$5 or choic\$5)) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	0	((375/373, 375/371, 375/375, 375/354, 375/355, 375/362, 375/226,325/224, 375/377).ccls.) and data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (logic\$5 or table\$5) and (dual adj2 rail adj2 amplifi\$5) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	data and (clock with phase\$5) and (phase\$5 with select\$5) and frequenc\$5 and (logic\$5 or table\$5) and (dual adj2 rail adj2 amplifi\$5) and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	2	((data near2 sampl\$7) with ((time or timing\$7 or clock\$7 or clk\$7) near2 divid\$7 near2 phas\$7)) and (phas\$7 near2 detect\$7 near2 (look\$1up or tabl\$7 or logic\$7 or choos\$7 or select\$7 or choic\$7 or pick\$7)) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	1	((375/373, 375/371, 375/375, 375/354, 375/355, 375/362, 375/226,325/224, 375/377).ccls.) and ((data near2 sampl\$7) with ((time or timing\$7 or clock\$7 or clk\$7) near2 divid\$7 near2 phas\$7)) and (phas\$7 near2 detect\$7 near2 (look\$1up or tabl\$7 or logic\$7 or choos\$7 or select\$7 or choic\$7 or pick\$7)) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	2	((375/373, 375/371, 375/375, 375/354, 375/355, 375/362, 375/226,325/224, 375/377).ccls.) and ((previous near2 (cycle or period)) same (phase\$2 with clock\$5 with (select\$5 or choos\$5 or choic\$5))) and @ad<"19991005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB